




Bat Square Oval

LedsC4 Team

Recessed wall lighting IP66 Bat Square Oval LED 2.2 LED warm-white 3000K White 77lm

Technical features

- Luminaire total power: 2.2W
- Real lumens: 77
- Real lm/W: 35
- Correlated Colour Temperature (CCT): LED warm-white 3000K
- Lens / reflector angle: FLOOD 60°
- Structure material: Aluminium
- Structure finish: White
- Diffuser material: Glass
- Diffuser finish: Transparent
- Equipment necessary but not included
- Voltage / frequency: 3V/max.700mA
- Useful life: 50,000h L80B20
- Warranty: 5 años
- Resistant to marine environments: Yes
- Easily recyclable luminaire



Luminotechnic features

- CRI: 90
- MacAdam steps: 3
- Photobiological risk: RG2
- UGR crosswise: 21.2
- UGR lengthwise: 13.7

Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
LED	1	2.2W	LED warm-white 3000K






Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.




Bat Round Oval

Recessed wall lighting IP66 Bat Round Oval LED 2.2 LED warm-white 3000K White 77lm



Technical features

- Luminaire total power: 2.2W
- Real lumens: 77
- Real lm/W: 35
- Correlated Colour Temperature (CCT): LED warm-white 3000K
- Lens / reflector angle: FLOOD 60°
- Structure material: Aluminium
- Structure finish: White
- Diffuser material: Glass
- Diffuser finish: Transparent
- Equipment necessary but not included
- Voltage / frequency: 3V/max.700mA
- Useful life: 50,000h L80B20
- Warranty: 5 años
- Resistant to marine environments: Yes
- Easily recyclable luminaire



Luminotechnic features

- CRI: 90
- MacAdam steps: 3
- Photobiological risk: RG1
- UGR crosswise: 21.2
- UGR lengthwise: 13.7

Lampholder	Quantity	Light source power (W)
LED	1	2.2W

Options

- 27K + 4K
- Dark Brown,
- Dark Grey
- Round/Lineal
- Square/oval
- Square/lineal








Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.

LedsC4

Options


27K + 40K

Dark Brown, Dark Grey

Round/Lineal

Square/oval

Square/lineal




27K - 05-E014-14-(white)J6(brown)Z5(dark grey)-CK
30K - 05-E014-14-(white)J6(brown)Z5(dark grey)-CL
40K - 05-E014-14-(white)J6(brown)Z5(dark grey)-CM

IES




27K - 05-E015-14-(white)J6(brown)Z5(dark grey)-CK
30K - 05-E015-14-(white)J6(brown)Z5(dark grey)-CL
40K - 05-E015-14-(white)J6(brown)Z5(dark grey)-CM

IES



27K - 05-E016-14-(white)J6(brown)Z5(dark grey)-CK
30K - 05-E016-14-(white)J6(brown)Z5(dark grey)-CL
40K - 05-E016-14-(white)J6(brown)Z5(dark grey)-CM

IES



27K - 05-E017-14-(white)J6(brown)Z5(dark grey)-CK
30K - 05-E017-14-(white)J6(brown)Z5(dark grey)-CL
40K - 05-E017-14-(white)J6(brown)Z5(dark grey)-CM

IES