

Cosmos

Designed by LedsC4 Architectural

Ceiling P. 880

Elegant and versatile Élégante et polyvalente

The Cosmos collection has been designed in line with the deco-tech concept and its purpose is to illuminate the façades of hotels, public areas and residences, lending them a decorative touch. The hidden hardware and accessories included make this a highly versatile collection, thanks in part to its models with single and dual emission.

Conçue sous le concept « déco-tech », la collection Cosmos vise à éclairer de façon professionnelle les façades d'hôtels, d'espaces publics et de résidences, en apportant une touche décorative. La visserie invisible et les accessoires inclus en font une famille très utilisée pour sa grande polyvalence, notamment grâce à ses modèles mono et double émission.





Cosmos


Wall Fixture

BODY MAT	DIF MAT		50000h	3
AL	GLA		L80 B20	MacAdam

Cosmos Wall Fixture Single Emission 85mm

IP	IK	BREEAM		
66	06			

●
Z5




LED							
K	CRI	W Total	Real Lm	Optics	Code		
3000	80	12.7	760	17°	05-9952 - Z5 - CL		ON-OFF 100-240V IES Photometry FILES
4000	80	12.7	819	17°	05-9952 - Z5 - CM		ON-OFF 100-240V IES Photometry FILES



Cosmos Wall Fixture Single Emission 110mm

IP	IK	BREEAM		
66	06			

●
Z5




LED							
K	CRI	W Total	Real Lm	Optics	Code		
3000	80	25.4	1823	16°;34°	05-9954 - Z5 - CL		ON-OFF 100-240V IES Photometry FILES
4000	80	25.4	1823	16°;34°	05-9954 - Z5 - CM		ON-OFF 100-240V IES Photometry FILES



Cosmos Wall Fixture Single Emission 144mm

IP	IK	BREEAM		
66	07			

●
Z5




LED							
K	CRI	W Total	Real Lm	Optics	Code		
3000	80	36	2367	16°;34°	05-9956 - Z5 - CL		ON-OFF 100-240V IES Photometry FILES
4000	80	36	2534	16°;34°	05-9956 - Z5 - CM		ON-OFF 100-240V IES Photometry FILES



Cosmos Wall Fixture Double Emission 85mm

IP	IK	BREEAM		
66	06			

●
Z5



LED							
K	CRI	W Total	Real Lm	Optics	Code		
3000	80	11.8	625	17°	05-9953 - Z5 - CL		ON-OFF 100-240V IES Photometry FILES
4000	80	11.8	960	17°	05-9953 - Z5 - CM		ON-OFF 100-240V




**Cosmos Wall Fixture Double
Emission 110mm**

IP	IK	BREEAM	LED	DRIVER
66	06			

Z5

OUTDOOR




LED										
K	CRI	W Total	Real Lm	Optics	Code					
3000	80	24.5	1823	16°;34°	05-9955 - Z5 - CL		ON-OFF	100-240V	IES Photometry	FILES
4000	80	24.5	1823	16°;34°	05-9955 - Z5 - CM		ON-OFF	100-240V	IES Photometry	FILES



**Cosmos Wall Fixture Double
Emission 144mm**

IP	IK	BREEAM	LED	DRIVER
66	07			

Z5



LED										
K	CRI	W Total	Real Lm	Optics	Code					
3000	80	35	2710	16°;34°	05-9957 - Z5 - CL		ON-OFF	100-240V	IES Photometry	FILES
4000	80	35	2901	16°;34°	05-9957 - Z5 - CM		ON-OFF	100-240V	IES Photometry	FILES



**Cosmos Wall
Fixture Single
Emission 85mm**



**Cosmos Wall
Fixture Single
Emission 110mm**



**Cosmos Wall
Fixture Single
Emission 144mm**



**Lens accessories
Accessoires optiques**



Set of 2 reflectors (20° and 44°)
Set de 2 réflecteurs (20° et 44°)

Included

Included

Included

**Decorative accessories
Accessoires décoratifs**



Set of 2 decorreflectors (silver and gold)
Set de 2 décoréfecteurs (argent et doré)

Included

Included

Included

**Cosmos Wall
Fixture Double
Emission 85mm**



**Cosmos Wall
Fixture Double
Emission 110mm**



**Cosmos Wall
Fixture Double
Emission 144mm**



**Lens accessories
Accessoires optiques**



Set of 4 reflectors (20° and 44°)
Set de 4 réflecteurs (20° et 44°)

Included

Included

Included

**Decorative accessories
Accessoires décoratifs**



Set of 4 decorreflectors (silver and gold)
Set de 4 décoréfecteurs (argent et doré)

Included

Included

Included

WALL FIXTURES | APPLIQUES

825